


Washbasin # 0304100000

|< 1050 mm >|



Washbasin	Dimension	Weight	Order number
Rectangular, Tap hole platform: Yes, Back side glazed: No, 1050 mm			
Colors			
00 White Alpin			
Variant			
● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, Overflow: Yes		26.200 kg	0304100000
Infobox			
To attach washbasins from a size of 1000 mm, two attachments with article no. # 6951000000 are required / Space-saving siphon is recommended in conjunction with vanity unit			
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Space-saving siphon White, Connection dimensions: 1 1/4"	360 x 390 mm	0.372 kg	005076
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Suitable products			
Pedestal Type of mounting: Floorstanding, 150 x 210 mm	150 x 210 mm		086516
Siphon cover Type of mounting: Wall-mounted, Incl. mounting material, 170 x 315 mm	170 x 315 mm		086515

Washbasin # 0304100000

|< 1050 mm >|

Vanity unit wall-mounted Number of pull-out compartments: 1, Handle Silver, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin Starck 3 # 030410, 1000 x 455 mm	1000 x 455 mm	KT6665
Vanity unit wall-mounted Number of drawers: 2, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin Starck 3 # 030410, 1000 x 455 mm	1000 x 455 mm	KT6645
Vanity unit wall-mounted Number of pull-out compartments: 1, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Necessary articles: Washbasin Starck 3 # 030410, 1020 x 469 mm	1020 x 469 mm	LC6166
Vanity unit wall-mounted Number of drawers: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Necessary articles: Washbasin Starck 3 # 030410, 1020 x 469 mm	1020 x 469 mm	LC6266
Recommended faucets		
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 41 mm	143 x 41 mm	C11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 41 mm	175 x 41 mm	B11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 138,5 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 41 mm	175 x 41 mm	B21020001
single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 165 x 41 mm	165 x 41 mm	C11030001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 167 mm, Spout reach: 107 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 149 x 43 mm	149 x 43 mm	A11020001

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.